Reference

1. Halliwell B, Murcia MA, Chirico S, Aruoma OI Crit 1995 Free radicals and antioxidants in food and in vivo: what they do and how they work Rev Food Sci Nutr. Jan; 35(1-2):7-20.
2. M. H. Gordon, in B. J. F. Hudson, ed., 1990 Food Antioxidants, Elsevier Applied Science,New York, , p. 1.
3. J. Pokorny´ , in J. Pospı´sˇil and P. P. Klemchuk, eds., 1989 Oxidation Inhibition of Organic Materials, Vol. I, CRC Press, Boca Raton, Florida, p. 349.
4. J. Pokorny´, in M. S. Rahman, ed., 1999 Handbook of Food Preservation, Marcel Dekker, Inc.,New York, , p. 309.
5. G.A. Spanos, R.E. Wrolstad, J Agric Food Chem 38 (1990) 1565.
6. Guan, Y. Q., Chu, Q. C., Fu, L., & Ye, J. N. 2005. Determination of antioxidants in cosmetics by micellar electrokinetic capillary chromatography with electrochemical detection. Journal of Chromatography A, 1074(2), 201–204.
7. Guo, L., Xie, M. Y., Yan, A. P., Wan, Y. Q., & Wu, Y. M. 2006. Simultaneous determination of five synthetic antioxidants in edible vegetable oil by GC–MS. Analytical and Bioanalytical Chemistry, 386(6), 1881–1887.
8. Williams, G. M. 1993. Inhibition of chemical-induced experimental cancer of synthetic phenolic antioxidants. In G. M. Williams, H. Sies, G. T. Baker III, J. W. Erdmann, Jr., & C. J. Henry (Eds.), Antioxidants: Chemical, physiological, nutritional and toxicological aspects (pp. 202–208). Princeton, NJ: Princeton Scientific Press.
9. Williams, G. M. 1994. Interventive prophylaxis of liver cancer. European Journal of Cancer Prevention, 3, 89–99.
10. Codex Alimentarius Commission. .General Standard for Food Additives CODEX STAN 192-1995 (Rev. 6-2005) www. codexalimentarius.net/ download/ standards/ 286/ CXS_117e.pdf
11. European Parliament and Council Directive No. 95/2/EC of 20 February 1995 on food additives other than colour and sweentners
12. Yagi, K. 1987. Lipid peroxides and human disease. Chem. Phys. Lipids 45: 337-341.

13. Namiki, M. 1990. Antioxidans/antimutagens in food. CRC Crit. Rev. Food Sci. Nutr. 29: 273-300.
14. Dziezak, J.D. 1986. Preservatives: antioxidants. Food Tech. 40: 94- 102.
15. Branen, A. C. 1975. Toxicologes and biochemistry of butylated hydroxy anisole and butylated hydroxy toluene. JAOCS 53: 59-63.
16. Ito, N., Hirose, M., Fukushima, S., Tsuda, H., Shiria, T. and Tatematsu, M. 1986. Studies on Antioxidant: their carcinogenic and modifying effects on chemical carcinogennisis. Food Chem. Toxic. 24: 1071-1082.
17. Driouich, R., Takayanagi, T., Oshima, M., & Motomizu, S. 2000. Separation and determination of haloperidol, parabens and some of their degradation products by micellar electrokinetic chromatography. Journal of Chromatography A, 903(1– 2), 271–278
18. Christian, P., & Liliane, M. 2002. Quantification of synthetic phenolic antioxidants in dry foods by reversed-phase HPLC with photodiode array detection. Food Chemistry, 77(1), 93–100.
19. Borremans, M., Van, L. J., Roos, P., & Goeyens, L. 2004. Validation of HPLC analysis of 2-Phenoxyethanol, 1-phenoxypropan-2-ol, Methyl, Ethyl,Propyl, Butyl and Benzyl 4-Hydroxybenzoate (parabens) in cosmetic products, with emphasis on decision limit and detection capability. Chromatographia, 59(1–2), 47–51.
20. Yang, M. H., Lin, H. J., & Choong, Y. M. 2002. A rapid gas chromatographic method for direct determination of BHA, BHT and TBHQ in edible oils and fats. Food Research International, 35(7), 627–633.
21. Mu, T. N., Xu, H., & Li, W. 2007. Gel perme chromatography with GC–FID to simultaneous determination of BHA and BHT in the edible oil. Science and Technology of Food Industry, 1, 228–230 (in Chinese).
22. Gonza´ lez, M., Gallego, M., & Valca´ rcel, M. 1999. Gas chromatographic flow method for the preconcentration and simultaneous determination of antioxidant and preservative additives in fatty foods. Journal of Chromatography A, 848(1–2), 529–536.
23. Lozano, P. P., Montoya, E. G., Orriols, A., Minarro, M., Tico, J. R., & Snegre, J. M. 2005. A new validated method for the simultaneous determination of

benzocaine, propylparaben and benzyl alcohol in a bioadhesive gel by HPLC. Journal of Pharmaceutical and Biomedical Analysis, 39(5), 920–927.

24. Lian, H. Z., Li, D. L., Wu, X. X., & Tian, L. C. 2005. Determination of phenolic preservatives in gelatin and vacant capsules for medicine use by ionsuppression reversed-phase high performance liquid chromatography. Journal of Pharmaceutical and Biomedical Analysis, 37, 369–372.
25. Xiang, Q., Gao, Y., & Xu, Y. H. 2007. Capillary electrophoresis–amperometric determination of antioxidant propyl gallate and butylated hydroxyanisole in foods. Analytical Science, 23(6), 713–717.
26. Memon, N., Bhanger, M. I., & Khuhawer, M. Y. 2005. Determination of preservatives in cosmetics and food samples by micellar liquid chromatography. Journal of Separation Science, 28(7), 635–641.
27. Lin, Y. H., Chou, S. S., Sheu, F., & Shgu, Y. T. 2000. Simultaneous determination of sweeteners and preservatives in preserved fruits by micellar electrokinetic capillary chromatography. Journal of Chromatography Science, 38(8), 345–352.
28. Labat, L., Kummer, E., Dallet, P., & Dubost, J. P. 2000. Comparison of highperformance liquid chromatography and capillary zone electrophoresis for the determination of parabens in a cosmetic product. Journal of Pharmaceutical and Biomedical Analysis, 23(4), 763–769.
29. Jaworska, M., Szulinska, Z., & Wilk, M. 2005. Application of a capillary electrophoresis method for simultaneous determination of preservatives in pharmaceutical formulations. Journal of Separation Science, 28(2), 137–142.
30. Lee, M. R., Lin, C. Y., Li, Z. G., & Tsai, T. F. 2006. Simultaneous analysis of antioxidants and preservatives in cosmetics by supercritical fluid extraction combined with liquid chromatography mass spectrometry. Journal of Chromatography A, 1120(1–2), 244–251
31. Rich M, Ritterhoff R, Hoffmann R. 1950 A fatal case of aplastic anemia following chloramphenicol (chloromycetin) therapy. Ann Intern Med 33 (6): 1459–67.
32. Isildar,M., W.H.Abou-Khalil, J.J.Jimenez, S.Abou-Khalil, and A.A.Yunis. (1988a). Aerobic nitroreduction of dehydrochloramphenicol by bone marrow. *Toxicol Appl Pharmacol* 94:305-310.

33. Jimenez,J.J., J.G.Jimenez, D.Daghistani, and A.A.Yunis. (1990). Interaction of chloramphenicol and metabolites with colony stimulating factors: possible role in chloramphenicol-induced bone marrow injury. *Am J Med Sci* 300:350-353.
34. Kitamura,T., J.Ando, R.Ishihara, S.Takano, T.Iijima, S.Nishimura, M.Yoshida, M.Takahashi, and A.Maekawa. (1997). Lack of carcinogenicity of thiamphenicol in F344 rats. *Food Chem Toxicol* 35:1075-1080.
35. Council Regulation (EEC) No. 2377/90. Off. J. Eur. Communities: Legis. 1994, L156, 23.
36. Commission Decision (EC) No. 657/02. Off. J. Eur. Communities: Legis. 2002, L221, 8.
37. Xia X, Li X, Ding S, Shen J,2010,Validation of a method for the determination of chloramphenicol in poultry and swine liver by ultra-performance liquid chromatography coupled with tandem mass spectrometry., J AOAC Int. Sep-Oct; 93(5):1666-71.
38. M. Cronly, P. Behan, B Foley, S. Martin, M. Doyle, E. Malone and L. Regan 2010 Rapid multi-class multi-residue method for the confirmation of chloramphenicol and eleven nitroimidazoles in milk and honey by liquid chromatography tandem mass spectrometry. Food additives contaminants Part A Chemistry analysis control exposure risk assessment 27(9) : 1233-1246
39. Hongzhe Tian 2011 Determination of chloramphenicol, enrofloxacin and 29 pesticides residues in bovine milk by liquid chromatography–tandem mass spectrometry Chemosphere April ,(83) 3: 349-355
40. Azzouz A, Jurado-Sánchez B, Souhail B, Ballesteros E.,2011,Simultaneous determination of 20 pharmacologically active substances in cow's milk, goat's milk, and human breast milk by gas chromatography-mass spectrometry, J Agric Food Chem. May 11;59(9):5125-32. Epub 2011 Apr 15.
41. Kowalski P, Plenis A, Oledzka I, Konieczna L. 2011 Optimization and validation of the micellar electrokinetic capillary chromatographic method for simultaneous determination of sulfonamide and amphenicol-type drugs in poultry tissue, J Pharm Biomed Anal. Jan 5; 54(1):160-7.